



ANTEGO

Antego offers everything you expect from an outdoor umbrella. Its operating system allows you to easily move and tilt your umbrella in any desired direction. This outdoor umbrella is developed to complement any outdoor area and give the protection you need all summer long.



300 x 200 cm



300 x 300 cm



ø 350 cm

- ✓ Full aluminium frame
- ✓ Tilt in height
- ✓ Tilt left and right
- ✓ Rotate 360° around its pole

 Ambiance pictures

FRAME

Free pole umbrella with crank handle.
Pole & ribs are aluminium powder coated.
Pole profile: 90 x 65 x 2,5 mm, 3,5 x 2,5 x 0,1".
Ribs profile: 28 x 14 x 1,2 mm, 1,1 x 0,5 x 0,04".

CANOPY

270g/m², 100% solution dyed acrylic.

TILT

Tilt in height, left and right and rotate 360° around its pole.

WIND SPEED

39 km/h, 24.2 mph - Maximum wind speed to which the umbrella may be exposed.

360°



jardinico®

FRAME



A01
white



A03
linen



A12
alu teak



A14
lava



A30
anthracite



A32
black

CANOPY



Fabric of choice
see overview p.8

200 X 300 CM

300 X 200 CM	Weight net	Weight gross	Packaging CBM / CCF
UMANT UMBRELLA FRAME & CANOPY	26 kg - 57.3 lbs	30 kg - 66.1 lbs	267 x 42 x 18.5 cm, 0.2 cbm



FRAME



A01
white



A03
linen



A12
alu teak



A14
lava



A30
anthracite



A32
black


CANOPY



C001
natural



C010
latte



Fabric of choice
see overview p.8

300 X 300 CM

300 X 300 CM	Weight net	Weight gross	Packaging CBM / CCF
UMANT UMBRELLA FRAME & CANOPY	28 kg - 61.7 lbs	32 kg - 70.5 lbs	267 x 42 x 18.5 cm, 0.2 cbm



FRAME



A01
white



A03
linen



A12
alu teak



A14
lava



A30
anthracite



A32
black

CANOPY



Fabric of choice
see overview p.8

Ø 350 CM

Ø 350 CM	Weight net	Weight gross	Packaging CBM / CCF
UMANT UMBRELLA FRAME & CANOPY	27 kg - 59.5 lbs	31 kg - 68.3 lbs	267 x 42 x 18.5 cm, 0.2 cbm



BASES

SILK GREY GRANITE	Weight net	Weight gross	Packaging CBM / CCF
UBANT-125CA-0G4 BASE	125 kg - 276 lbs	130 kg - 286 lbs	94 x 94 x 18 cm
UBANT-EW60-G04 2 HALF TILES	60 kg - 132 lbs	62 kg - 136 lbs	94 x 94 x 10 cm
UABTEN-SP037-SET 4 STAINLESS STEEL WHEELS			
UABANT-SP037(A)-SET 4 SYNTHETIC WHEELS			



92.5 x 92.5 x 5 cm
36.4 x 36.4 x 2"

G04 light grey granite, bush hammered



92.5 x 92.5 x 5 cm
36.4 x 36.4 x 2"

G04 light grey granite, bush hammered
2x 30 kg, 2x 66 bs

BLACK GRANITE	Weight net	Weight gross	Packaging CBM / CCF
UBANT-125-G32 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm
UABTEN-SP037-SET 4 STAINLESS STEEL WHEELS			
UABANT-SP037(A)-SET 4 SYNTHETIC WHEELS			



92.5 x 92.5 x 5 cm
36.4 x 36.4 x 2"

G32 black granite, bush hammered

SANDSTONE	Weight net	Weight gross	Packaging CBM / CCF
UBANT-125-G13 BASE	125 kg - 276 lbs	132 kg - 291 lbs	92.5 x 92.5 x 17.5 cm
UABTEN-SP037-SET 4 STAINLESS STEEL WHEELS			
UABANT-SP037(A)-SET 4 SYNTHETIC WHEELS			



92.5 x 92.5 x 5 cm
36.4 x 36.4 x 2"

G13 sandblasted finish

BASES

CONCRETE	Weight net	Weight gross	Packaging CBM / CCF
UBANT-125-B01 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm
UBANT-125-B03 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm
UBANT-125-B32 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm
UABTEN-SP037-SET 4 STAINLESS STEEL WHEELS			
UABANT-SP037(A)-SET 4 SYNTHETIC WHEELS			



92.5 x 92.5 x 5 cm

36.4 x 36.4 x 2"

B01 white, **B03** linen, **B32** black

POWDER COATED STEEL	Weight net	Weight gross	Packaging CBM / CCF
UBANT-125-S01 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm
UBANT-125-S03 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm
UBANT-125-S30 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm
UBANT-125-S32 BASE	125 kg - 276 lbs	130 kg - 286 lbs	92.5 x 92.5 x 17.5 cm
STAINLES STEEL CHEMICAL ANCHORED			



97 x 97 x 1.5 cm

38 x 38 x 0.6"

S01 white, **S03** linen, **S30** anthracite , **S32** black



BASES

IN GROUND BASE	Weight net	Weight gross
UBIGB-FP-5G-MEDIUM	5.7 kg - 12.6 lbs	8.5 kg - 18.7 lbs




ø 14.5 x 50 cm
ø 5.7 x 19.8"
steel

ON GROUND BASE	Weight net	Weight gross
UBOGB-FP-5G-MEDIUM	7.5 kg - 16.5 lbs	9 kg - 19.8 lbs



ø 17 x 1.2 cm
ø 6.7 x 0.5"
steel















TECHNICAL DRAWING



		300 x 200 cm	300 x 300 cm	ø 350 cm
		25.6 kg - 56.4 lbs nett excl. base/socle/voet	27.4 kg - 60.4 lbs nett excl. base/socle/voet	27 kg - 59.5 lbs nett excl. base/socle/voet
A	rib end height (open)	200.2 cm - 78.8	198.3 cm - 78"	211.5 cm - 83.3"
B	overall height	243.3 cm - 95.8"	243.3 cm - 95.8"	246.3 cm - 97"
C	rib end height (closed)	71.5 cm - 28.1"	39.2 cm - 15.4"	78.2 cm - 30.8"
D	total width (canopy + frame)	242.9 cm - 95.6"	343.1 cm - 135"	388 cm - 152.8"
E	max. height (tilt front to back)	321.5 cm - 126.6"	377.2 cm - 148.5"	415.8 cm - 163.7"
F	min. height (tilt side to side)	135 cm - 53.1"	140 cm - 55.1"	99 cm - 39"
G	max. height (tilt side to side)	278 cm - 109.4"	270 cm - 106.3"	324 cm - 127.6
H	canopy length (diagonal)	360.6 cm - 142"	424.3 cm - 167"	350 cm - 137.8"
I	canopy width	300 cm - 118.1"	300 cm - 118.1"	350 cm - 137.8"

UMBRELLAS

CATEGORY 3


								
C003 pearl	C011 cotton	C022 nile	C025 mushroom	C026 howlite	C027 moonstone	C028 flax	C029 wheat	C030 papyrus
								
C031 nutmeg	C100 ice	C107 mooncrest	C114 concrete	C115 cadet	C207 onyx	C210 pitch	C216 rock	C217 iron
								
C218 pewter	C219 titanium	C220 basalt	C221 faroe	C222 slate	C305 umber	C308 gravel	C309 ebène	C452 sunset
								
C453 rotala	C454 gobi	C455 burgundy	C456 crimson	C457 sunrise	C458 fjord	C459 lapis	C460 celestial	C461 marine
								
C462 teal	C463 navy	C464 glacier	C465 loyal	C466 emerald	C468 berry			

FABRICS

CATEGORY 2




C019 tofu



C020 powder



C023 heather



C032 tulle



C033 lin



C034 antique




C035 trush




C036 fawn




C112 fog




C113 plaster




C116 cobble




C117 milk




C118 steam




C214 eclipse



C215 shadow




C223 fuel



C224 lead




C225 ardoise




C226 tweed



C227 blackboard



C307 cacao



C310 amber




C311 vino



C312 chestnut



C313 auburn




C314 chocolate



C402 tangerine




C403 pink



C409 brick




C443 moss




C444 peach




C450 arctic



C451 belharra



C469 mistral



C470 merlot



C471 antelope



C472 hive




C473 poppy




C474 pepper



C475 vivid




C476 calathea



C477 pinea



C478 macao




C479 lichen



C480 seafoam

FABRICS



C481 beryl



C482 adriatic



C483 trust



C484 cyan



C485 curacao



C486 crisp

CATEGORY 1




C001 natural




C010 latte




C024 clay




C101 cloud



C106 gris nature




C204 night



C208 black



C211 steel



C301 taupe



C304 walnut

	Category 3	Category 2	Category 1
composition	100% solution dyed acrylic	100% solution dyed acrylic	100% solution dyed polyester
grammage	320 g/m ²	260 g/m ²	270 g/m ²
Lightfastness	level 7-8	level 7-8	level 6-7
water resistance	1000 mm	400 mm	100 mm
UV protection	> 98%	> 98%	> 98%

PROTECTION & LUNA LED LIGHT

PROTECTION COVER

We suggest to always use the protection cover to protect your outdoor umbrella from poor weather conditions or when not in use during the summer. The stain resistant and water repellent cover will extend their life for you to enjoy your umbrella whenever you like.

To enhance the durability and appearance, we recommend following our care instructions regularly.

Ref.	Colour	Swatch	About this fabric
X75	Grey		100% solution dyed polyester with PU coating



MAINTENANCE

To enhance the durability and appearance, we recommend following our care instructions regularly.

The umbrella should never be used in strong wind or rainy conditions. An open umbrella should never be left unattended.

The umbrella should be protected against blurring or damage by using its protection cover.

The protection cover can be placed over the umbrella and pole. Store the umbrella in a dry place when not in use.

Before use, you can apply an invisible film to make the canopy stain and water repellent by using a textile protector.

Clean the aluminium frame with a damp cloth, mild soap and water. Do not use any sharp tool to avoid scratches.

You can maintain and clean your canopy by following a few simple steps:

- Brush off loose dirt before it becomes embedded in the fabric.
- Hose down.
- Spot clean soon after stains occur with water and mild soap or textile cleaner (no detergents). Use a soft bristle brush to clean.
- Allow soap to soak in.
- Rinse thoroughly.
- Always let the canopy air dry completely before storing or covering.

Machine wash in cold water. Depending on wash load size, use normal amounts of mild laundry detergent and add 1 cup of bleach.

Allow fabric to air dry.



Maintenance set:

2 scrubbing sets

3 application cloths

Textile protector 750 ml

Textile cleaner 750 ml



MADE FOR **SHADE &
OUTDOOR LIVING.**

www.jardinico.com